



Ballast Compatibility List of

E-Lux T5 HO 2,3,4,5 FT



Warning: Lamp warranty only valid when using ballast(s) from corresponding compatibility list. Using the wrong ballast may be hazardous to the tubes. If using a ballast not listed here, please contact Luxul customer service [1-888-241-4461](tel:1-888-241-4461) or go to website <http://www.luxultek.com> for compatibility verification.

*NOTE: Component temperature ranges between 85~105 Celsius degrees, please use with caution.

Tube Length	Manufacturer	Ballast P/N
T5 HO 2FT		B224PUNV-C*
	AccuStart	B239PUNV-D
	FULHAM	HSM-UNV-239-LT5
	HOWARD INDUST	EP2/39HO/PRS/MV
	KEYSTONE	KTEB-239HO-UV-TP-PS/LS
	LUTRON	H3DT524CU210
		ICN-2S24
		ICN-2S24-N
		IEZ-2S24-D35M
		EC5T524JUNV1
T5 HO 3FT	PHILIPS ADVANCE	ICN-2S39*
		QHE 2X39-24T5HO/UNV PSN QTP 2X39-24 T5HO/UNV PSN *for 2 lamps only
	SYLVANIA	
	TRIAD/UNIVERSAL	B239PUNV-D
T5 HO 4FT		B224PUNV-C*
	AccuStart	B239PUNV-D



Ballast Compatibility List of

E-Lux T5 HO 2,3,4,5 FT

Warning: Lamp warranty only valid when using ballast(s) from corresponding compatibility list. Using the wrong ballast may be hazardous to the tubes. If using a ballast not listed here, please contact Luxul customer service [1-888-241-4461](tel:1-888-241-4461) or go to website <http://www.luxultek.com> for compatibility verification.

*NOTE: Component temperature ranges between 85~105 Celsius degrees, please use with caution.

Tube Length	Manufacturer	Ballast P/N
T5 HO 3FT	KEYSTONE	KTEB-239HO-UV-TP-PS/LS
		EC5T539JUNV2
	LUTRON	H3DT539CU210
	PHILIPS ADVANCE	ICN-2S39*
		QHE 2X39-24T5HO/UNV PSN
		QTP 2X39-24T5HO/UNV PSN
T5 HO 4FT		QTP5 2X24-39
	SYLVANIA	QTP5 2X54
		B224PUNV-C
	AccuStart	B254PUNV-D
	FULHAM	RHA-UNV-254-LT5
		GE254MVPS-A*
	GE	GE254MVPS-D*
		EC5T554JUNV1
		EC5T554JUNV2
	LUTRON	H3DT554CU210



Ballast Compatibility List of E-Lux T5 HO 2,3,4,5 FT

Warning: Lamp warranty only valid when using ballast(s) from corresponding compatibility list. Using the wrong ballast may be hazardous to the tubes. If using a ballast not listed here, please contact Luxul customer service [1-888-241-4461](tel:1-888-241-4461) or go to website <http://www.luxultek.com> for compatibility verification.

*NOTE: Component temperature ranges between 85~105 Celsius degrees, please use with caution.

Tube Length	Manufacturer	Ballast P/N
T5 HO 4FT		ICN-2S54-T
		ICN-2S54-90C-T35I
		ICN-4S54-2LS-H
		ICN-4S54-90C-2LS-G
	PHILIPS ADVANCE	VEZ-154 35M
		QHE 2X54T5HO/UNV PSN HT*
		QTP 2X54T5HO/UNV PSN
	SYLVANIA	QTP 4X54T5HO/UNV PSN HT
	ULTRA SAVE	ER454129MHT-W
	T5 HO 5FT	AccuStart
		GE180MVPS-D*
		GE254MVPS-F*
		GE254MVPS90-A
GE		GE454MVPS90-F



Ballast Compatibility List of

E-Lux T5 HO 2,3,4,5 FT

Warning: Lamp warranty only valid when using ballast(s) from corresponding compatibility list. Using the wrong ballast may be hazardous to the tubes. If using a ballast not listed here, please contact Luxul customer service [1-888-241-4461](tel:1-888-241-4461) or go to website <http://www.luxultek.com> for compatibility verification.

*NOTE: Component temperature ranges between 85~105 Celsius degrees, please use with caution.

Tube Length	Manufacturer	Ballast P/N
T5 HO 5FT	PHILIPS ADVANCE	ICN-4S54-90C-2LS-G
	SYLVANIA	QTP 1X80T5HO/UNV PSN